

Plume, SuperPod


Meet the SuperPod

Anyone in need of a fast, reliable, intelligent WiFi that adapts to your needs while offering advanced services. perfect paired with a home with just the basic devices, such as a smartphone, tablet and/or computer



Specifications

Size & weight



Dimensions

96mm W x 87mm H x 40mm D Not including plug

Weight

217g

Power

Power supply

100 to 240 VAC, 50 to 60Hz

Power consumption

6W Standby

12W Average

18W Maximum

Plug type

Type A (NA and Japan)

Type C/E/F (EU)

Type G (UK)

Security

Authentication

WPA2-PSK (KRACK Patched)

Encryption

AES

Environment

Operating temperature

0°C to 40°C

Operating relative humidity

10% to 90%

Storage conditions

-20°C to 70°C

10% to 90% (relative humidity)

Specifications

WiFi, ethernet, and IoT interfaces

4x4 MIMO 802.11.a/n/ac 5GHz upper
2x2 MIMO 802.11a/n/ac 5GHz lower
2x2 MIMO 802.11b/g/n 2.4GHz
Tri-band, tri-concurrent radio operation 5GHz
MU-MIMO with Beamforming

Channel bandwidth

5GHz lower: 20/40/80

5GHz higher:
20/40/80
2.4GHz: 20/40

Channels

5GHz 36 to 48, 149 to 161 2.4GHz 1 to 13

DFS channels

52 to 64, 100 to 144 region dependent

Ethernet

Dual 100/1000 base-T ethernet with
autosense WAN or LAN configuration

IoT radios

Bluetooth low energy



Networking and connectivity

Networking modes

Auto-sensing Router or Bridge mode

Firewall and networking

NAT, DHCP server, UPnP, client IP reservation, port forwarding

Home SSIDs

Managed 2.4 GHz and 5 GHz single SSID

Guest access

Custom password ACL with HomePass Access